

BORIS MAMAEV

*All-Russian Qualification Institute for Forest Managers and Specialists, Institututskaya Street, 17,
Pushkino, Moscow Region, 141200 Russia.*

Checklist of Palaearctic gall midges of subfamily Lestremiinae (Diptera, Cecidomyiidae)

ABSTRACT

CHECKLIST OF PALAEARCTIC GALL MIDGES OF SUBFAMILY LESTREMIINAE
(DIPTERA, CECIDOMYIIDAE)

The Checklist bases on The Catalogue of Palaearctic Diptera (Skuhravà, 1986) and the descriptions of new taxons of gall midges published during 1983-1994. It contains only valid taxons without references to synonyms. Geographical distribution data have been included only for species not mentioned in the Catalogue. References are limited to the period 1983-1994 .

Key words (in addition to those in title): valid taxons, geographical distribution.

INTRODUCTION

The last revision of species of Palaearctic gall midges was published by M. SKUHRAVÀ (1986) in the *Catalogue of Palaearctic Diptera*. The revision contained full taxonomic and distribution data of species described in Palaearctic region from 1758; the dead-line was 31 December, 1982.

During 1983-1994 many new Palaearctic species of gall midges were described and several taxonomic groups were revised. Important revisions were published mainly in Russia, Ukraina, Latvia in Russian language sometimes in rare edition with only few hundred copies. Complementary information about these editions seems to be important for taxonomists. The general system of subfamily Lestremiinae also should be changed according to new data (BEREST, 1993; MAMAEV, 1993).

The Checklist bases on fundamental revision of Palaearctic species (SKUHRAVÀ, 1986) and descriptions of new taxons of gall midges published in 1983-1994. Fossil species are not included in the list. It contains only valid taxons without references to synonyms because this information has been published by M. SKUHRAVÀ (1986). Data on geographical distribution were included only for species not mentioned in Catalogue of Palaearctic Diptera. Full bibliography up to 1983 was published by M. SKUHRAVÀ (1986) therefore only publications of the period 1983-1994 (in few cases also 1982) were included in the references.

North American species *Acoenonia perissa* Pritch., *Anaretella iola* Pritch., *Polyardis kasloensis* (Felt) were not included in the Checklist because their registration in the Palaearctic region did not base on fundamental taxonomic revision but only on identification for ecological purposes.

CHECKLIST

Family **CECIDOMYIIDAE**

Subfamily LESTREMIINAE

TRIBE CATOTRICHINI

Catotricha Edwards, 1938

antennata Alexander, 1959: Bull. Brooklyn ent. Soc., 54: 39.

marinae Mamaev, 1985: Vestn. Zool., Kiev, 3: 24.- Russia: Tuva.

nipponensis (Alexander, 1924): Insecutor Incit. menstr., 12: 81 (Catocha).

subterranea Mamaev, 1985: Vestn. Zool., Kiev, 2: 25.- Russia: Far East.

TRIBE CATOCHINI

Catarete Edwards, 1929

brevinervis (Zetterstedt, 1851): Dipt. Scand., 10: 3770 (Lestremia).

Catocha Haliday, 1833

latipes Haliday, 1833: Ent. Mag., 1: 156.

Neocatocha Felt, 1912

asiatica Mamaev, 1979: Trudy vses. ent. Obshch., 61: 185.

TRIBE STROBLIELLINI

Groveriella Mamaev, 1977

carpathica Mamaev, 1997: Cecidol. indica, 12-13: 2.

Strobliella Kieffer, 1898

intermedia Kieffer, 1898: Bull. Soc. Hist. nat. Metz, (2) 8: 51.

TRIBE LESTREMIINI

Allarete Pritchard, 1951

distincta Mamaev, 1963: Uzbek biol. Zh., 2: 71.

nigra Mamaev, 1994: Vestn. Zool., Kiev, 2: 28.- Russia : Kamchatka.

Allaretella Meyer et Spungis, 1994

germanica Meyer et Spungis, 1994: Entomofauna. Zeitschr. Ent., 15: 436.-
Germany.

Anarete Haliday, 1833

candidata Haliday, 1833: Ent. Mag., 1: 156.

coracina (Zetterstedt, 1851): Dipt. Scand., 10: 3739 (Sciara).

corni (Felt, 1907): Bull. N.Y. St. Mus., 110: 102 (separate, p. 6) (Micromyia).

coronata Mamaev, 1964: Zool. Zh., 43: 778.

flavitarsis Mamaev, 1964: Zool. Zh., 43: 778.

jagdyevi Mamaev, 1986: Proc. Acad. Sci. Turkmen. SSR, ser. biol. sci., 5: 66. -
Turkmenistan: Kopetdag.

jobnseni (Felt, 1907): Bull. N.Y. St. Mus., 124: 310 (Microcerata).

lacteipennis Kieffer, 1906: Ann. Soc. scient. Brux., 30: 345.

mamajevi Berest, 1987: Fauna i biotsenot. svyasi nasekomych Ukrainy, 81. -
Ukraina: Odessa region.

medicaginis Mamaev, 1963: Uzbek. biol. Zh., 2: 72.

rubra Kieffer, 1906: Ann. Soc. scient. Brux., 30: 343.

stettinensis Enderlein, 1911: Stettin ent. Ztg., 72: 132.

taimyrensis Mamaev, 1990: Novosti sistematiki i faunistiki: 141. - Russia:
Taimyr.

triarthra Edwards, 1938: Proc. R. ent. Soc. Lond. (B), 7: 31.

Anaretella Enderlein, 1911

borealis Mamaev, 1985: Vestn. Zool., Kiev, 3: 28. - Russia: Taimyr.

cincta Mamaev, 1964: Zool. Zh., 43: 777.

corniculata Mamaev, 1985: Vestn. Zool., Kiev, 3: 28. - Russia: Taimyr.

defecta (Winnertz, 1970): Verh. zool. - bot. Ges. Wien, 20: 33 (Lestremia).

elegantula Mamaev, 1964: Zool. Zh., 43: 777.

magnicornis Mamaev, 1964: Zool. Zh., 43: 777.

spiraeina (Felt, 1907): Bull. N.Y. St. Mus., 110: 102 (Catocha).

Gongromastix Enderlein, 1936

andorrana Enderlein, 1936: Tierwelt Mitteleur., 6 (2). Diptera: 60.

angustipennis (Strobl, 1904): Wiss. Mitt. Bosn. Herzeg., 9: 573 (Lestremia).

major Mamaev, 1985: Vestn. Zool., Kiev, 3: 27.- Russia: Tuva.

minor Mamaev, 1985: Vestn. Zool., Kiev, 3: 27 (as *Gongromastix major*
Mamaev, sp. n., holotype of 22.08.1978, lapsus typ.). - Russia: Tuva.

Lestremia Macquart, 1826

cinerea Macquart, 1826: Mem. Soc. Sci. Agric. Lille, 1: 173.

inexpectata Mamaev, 1986: Izv. Akad. nauk Turkmen SSR. ser. biol. nauk, 5: 65. - Turkmenistan: Kopetdag.

leucophaea (Meigen, 1818): Syst. Besch., 1: 288 (Sciara).

parvostylia Jaschhof, 1994: Studia dipterologica, 1:123. - Marocco: Abeino.

Wasmanniella Kieffer, 1898

aptera Kieffer, 1898: Bull. Soc. Hist. nat. Metz, (2) 8: 49.

TRIBE ACOENONIINI

Acoenonia Pritchard, 1947

europaea Mamaev, 1964: Proc. R. ent. Soc. Lond.(B), 33: 131.

nana Meyer et Spungis, 1994: Entomofauna. Zeitschr. Ent., 15: 434. - Germany.

parvlobata Mamaev et Berest, 1992: Vestn. Zool., Kiev. 1: 69. - Ukraina: Carpathians.

TRIBE CAMPYLOMYZINI

Campylomyza Meigen, 1818

alpina Siebke, 1864: Nyt Mag. Naturvid., 12: 175 (Campylomyza as Campylomyia, error).

armata Mamaev, 1963: Ent. Obozr., 42: 452.

bicolor Meigen, 1818: Syst. Besch., 1: 102.

coronata (Kieffer, 1895): Misc. ent., 3: 93 (Prionellus).

dilatata Felt, 1907: Bull. N.Y. St. Mus., 110: 149.

edwardsi Nijveldt, 1959: Ent. Ber., Amst., 19: 78.

fenestralis (Rondani, 1840): Memorie Ditt. Ital., 24 (Neurolyga).

flavicoxa Winnertz, 1870: Verh. zool. - bot. Ges. Wien, 20: 15.

flavipes Meigen, 1818: Syst. Besch., 1: 101.

furva Edwards, 1938: Proc. R. ent.Soc. Lond. (B), 7:179.

fusca Winnertz, 1870: Verh. zool. - bot. Ges. Wien, 20: 12

bedysari (Kieffer, 1913): Marcellia, 12: 53 (Amblyspatha).

luculenta Meigen, 1830: Syst. Besch., 6: 271.

maculata (Kieffer, 1901): Bull. Soc. Hist. nat. Metz, 21: 41 (Prionellus).

moebni Kleesattel, 1979: Dissertation, Stuttgart: 75.

monilicornis (Zetterstedt, 1838): Insecta Lap.: 823 (Cecidomyza).

mucoris (Kieffer, 1913): Marcellia, 12: 54 (Amblyspatha).

pallipes (Zetterstedt, 1850): Dipt. Scand., 9: 3672 (Campylomyia).

- picea*** Winnertz, 1870: Verh. zool.-bot. Ges. Wien, 20: 20.
pinetorum (Edwards, 1938): Proc. R. ent.Soc. Lond. (B), 7: 202 (Cordylomyia).
praecox (Kieffer, 1894): Bull. Soc. ent. Fr., 63: CLXXVI (Prionota).
pumila Winnertz, 1870: Verh. zool.-bot. Ges. Wien, 20: 11.
sejuncta (Kieffer, 1901): Bull. Soc. Hist. nat. Metz, 21: 40 (Prionellus).
silvalis (Rondani, 1840): Memorie Ditt. Ital.: 24 (Neurolyga).
squalida Winnertz, 1870: Verh. zool.-bot. Ges. Wien, 20: 16.
strobli (Kieffer, 1901): Bull. Soc. Hist. nat. Metz, 21: 176 (Prionellus).
sylicola Winnertz, 1870: Verh. zool.-bot. Ges. Wien, 20: 17.
turmalis (Rondani, 1840): Memorie Ditt. Ital.: 25 (Neurolyga).
villosa (Kieffer, 1901): Bull. Soc. Hist. nat. Metz, 21: 2 (Prionellus).
vittata Winnertz, 1870: Verh. zool.-bot. Ges. Wien, 20: 17.

Cordylomyia Felt, 1911

- barsovi*** Berest, 1991: Zool. Zh., 70: 106. - Ukraina: Dnepropetrovsk.
bifida Edwards, 1938: Proc. R. ent. Soc. Lond. (B), 7: 201.
bilobata Mamaev et Rozhnova, 1982: Vestn. Zool., Kiev, 6: 20.
cellularis (Kieffer, 1913): Marcellia, 12: 54 (Prosaprius).
collaris Mamaev, 1963: Ent. Obozr., 42: 453.
commutata Mamaev et Rozhnova, 1982: Vestn. Zool., Kiev, 6: 21.
coronata Mamaev et Rozhnova, 1983: Sistematika i ekologo-faunisticheskiy obzor nekotorykh otriyadov nasekomykh Dal'nego Vostoka: 64 - Russia: Far East.
excavata Yukawa, 1967: J. Fac. Agric. Kyushu Univ., 2: 189.
hammi Edwards, 1938: Proc. R. ent. Soc. Lond. (B), 7: 201.
bastagera Mamaev et Rozhnova, 1982: Vestn. Zool., Kiev, 6: 23.
hyperborea Mamaev, 1990: Novosti sistematiki i faunistiki: 141. - Russia: Taimyr.
montana Mamaev, 1963: Uzbek. biol. Zh., 2: 72.
obsoleta Mamaev et Rozhnova, 1982: Vestn. Zool., Kiev, 6: 23.
rudis (Winnertz, 1870): Verh. zool.-bot. Ges. Wien, 20: 16 (Campylomyza).
spinifera Yukawa, 1971: Mem. Fac. Agric. Kagoshima Univ., 8: 34.
subarctica Mamaev, 1990: Novosti sistematiki i faunistiki: 142. - Russia: Taimyr.
subbifida Mamaev, 1963: Ent. Obozr., 42: 453.
terricola Mamaev et Rozhnova, 1983: Sistematika i ekologo-faunisticheskiy obzor nekotorykh otriyadov nasekomykh Dal'nego Vostoka: 65: - Russia: Far East.

truncata (Felt, 1912): Journ. N.Y. ent. Soc., 20: 102 (Campylomyza).

venusta Mamaev et Rozhnova, 1983: Sistematika i ekologo-faunisticheskiy obzor nekotorykh otriyadov nasekomykh Dal'nego Vostoka: 66. - Russia: Far East.

verna Mamaev, 1963: Ent. Obozr., 42: 453.

xylophila Edwards, 1938: Proc. R. R. ent. Soc. Lond. (B), 7: 200.

Corinthomyia Felt, 1911

brevicornis (Felt, 1907): Bull. N.Y. St. Mus., 110: 97 (Campylomyza).

Excrescentia Mamaev et Berest, 1991

mutuata Mamaev et Berest, 1991: Vestn. Zool., Kiev, 5: 76. - Ukraina: Carpathians.

Microcordylomyia Mamaev et Mohrig, 1975

degenerans Mamaev et Mohrig, 1975: Zool. Anz., 194: 126.

Micropteromyia Mamaev, 1960

ghilarovi Mamaev, 1960: Ent. Obozr., 34: 354.

TRIBE BRYOMYIINI

Aprionus Kieffer, 1894

acutus Edwards, 1938: Proc. R. ent. Soc. Lond. (B), 7: 233.

aequatus Mamaev, 1963: Uzbek. biol. Zh., 2: 74.

angulatus Mamaev, 1963: Ent. Obozr., 42: 447.

aviarius Mamaev et Berest, 1990: Vestn. Zool., Kiev, 4: 23. - Ukraina: Carpathians.

barbatus Mamaev, 1963: Ent. Obozr., 42: 450.

bidentatus (Kieffer, 1894): Bull. Soc. ent. Fr., 63: CLXXVI (Apriona).

bifidus Mamaev, 1963: Ent. Obozr., 42: 450.

bispinosus Edwards, 1938: Proc. R. ent. Soc. Lond. (B), 7: 233.

cardiophorus Mamaev, 1963: Ent. Obozr., 42: 448.

confusus Mamaev, 1969: Opredelitel nasekomykh Evropeyskoy chasti USSR, 5: 360.

carpathicus Mamaev et Berest, 1992: Vestn. Zool., Kiev., 1: 67.- Ukraina: Carpathians.

complicatus Mamaev et Berest, 1990: Vestn. Zol., Kiev, 4: 20; praeocc.: Aprionus rostratus Yukawa, 1971 (see below).

corniculatus Mamaev, 1963: Ent. Obozr., 42: 448

cornutus Berest, 1986: Vestn. Zool., Kiev., 5: 77. - Ukraina: Volinskaya oblast'.

denticulus Berest, 1986: Vestn. Zool., Kiev., 5: 77. - Ukraina: Volinskaya, Zhitomirskaya oblasti.

- dentifer** Mamaev, 1965: in Mamaev and Krivosheina, 1965: Lichinki gallits, Moscow: 266.
- dimorphogyna** (Ruebsaamen, 1899): Biol. Cbl., 19: 543 (Campylomyza).
- dispar** Mamaev, 1963: Ent. Obozr., 42: 446.
- dissectus** Mamaev et Berest, 1990: Vestn. Zool., Kiev, 4: 23. - Ukraina: Carpathians.
- flavidus** (Winnertz, 1870): Verh. zool.-bot. Ges. Wien, 20: 13 (Campylomyza).
- flaviventris** (Winnertz, 1870): Verh. zool.-bot. Ges. Wien, 20: 21 (Campylomyza).
- giganteus** Berest, 1991: Vestn. Zool., Kiev, 6: 104. - Ukraina: Kievskaya, Sumskaya oblasti.
- inquisitor** Mamaev, 1963: Ent. Obozr., 42:447.
- insignis** Mamaev, 1963: Ent. Obozr., 42: 450.
- interruptus** Yukawa, 1967: J. Fac. Agric. Kyushu Univ., 2: 192.
- laevis** Mohrig, 1967: Dt. ent. Z., 14: 453.
- latens** Mamaev et Berest, 1990: Vestn. Zool., Kiev, 4: 21. - Ukraina: Carpathians.
- lepidus** (Winnertz, 1870): Verh. zool.- bot. Ges. Wien, 20: 14 (Campylomyza).
- lobatus** Berest, 1986: Vestn. Zool., Kiev, 5: 75.- Ukraina: Volinskaya oblast.
- longicollis** Mamaev, 1963: Ent. Obozr., 42: 448.
- longisetosus** Mohrig, 1967: Dt. ent. Z., 14: 456.
- longitegminis** Yukawa, 1967: Mushi, 41: 63.
- marginatus** Mamaev, 1963: Ent. Obozr., 42: 450.
- micropterus** Mamaev et Mohrig, 1975: Zool. Anz., 194: 128.
- miki** Kieffer, 1895: Misc. ent., 3: 96.
- multispinosus** Yukawa, 1971: Mem. Fac. Agric. Kagoshima Univ., 8: 40.
- myrmecophilus** Kieffer, 1912: Marcellia, 11: 235.
- onychophorus** Berest, 1991: Zool. Zh., 70: 102. - Ukraina: Sumskaya oblast.
- perrisi** Kieffer, 1895: Misc. ent., 3: 109.
- praecox** Kieffer, 1895: Misc. ent., 3: 110.
- rostratus** Yukawa, 1971: Mem. Fac. Agric. Kagoshima Univ., 8: 37.
- similis** Mamaev, 1963: Ent. Obozr., 42: 447.
- smirnovi** Mamaev, 1961: Zool. Zh., 40: 614.
- spiniferus** Mamaev et Berest, 1990: Vestn. Zool., Kiev, 4: 19.- Ukraina: Carpathians.
- spiniger** (Kieffer, 1894): Bull. Soc. ent. Fr., 63: CLXXVI (Apriona).
- styloideus** Mamaev et Berest, 1990: Vestn. Zool., Kiev, 4: 21. - Ukraina: Carpathians.

terrestris Mamaev, 1963: Ent. Obozr., 42: 447.

tiliamcorticis Mamaev, 1963: Ent. Obozr., 42: 448.

umbrellus Mamaev et Berest, 1990: Vestn. Zool., 4: 18. - Ukraina: Carpathians.

Bryomyia Kieffer, 1895

apsectra Edwards, 1938: Proc. R. ent. Soc. Lond. (B), 7: 210.

bergrothi Kieffer, 1895: Misc. ent., 3: 78.

gibbosa (Felt, 1907): Bull. N.Y. St. Mus., 110: 100 (Campylomyza).

incisa Mamaev, 1963: Ent. Obozr., 42: 441.

longipennis Mamaev, 1963: Ent. Obozr., 42: 441.

multispinata Berest, 1988: Zool. Zh., 67: 151. - Ukraina: Kievskaya oblast.

producta (Felt, 1908): Bull. N.Y. St. Mus., 124: 315 (Campylomyza).

Cervuatina Berest, 1993

cambrica (Edwards, 1938): Proc. R. ent. Soc. Lond. (B), 7: 210 (Bryomyia).

Heterogenella Mamaev, 1963

bigibbata Mamaev et Berest, 1991: Vestn. Zool., Kiev, 2: 29. - Ukraina: Carpathians.

carinata Mamaev et Berest, 1991: Vestn. Zool., Kiev, 2: 27. - Ukraina: Carpathians.

dolini Berest, 1989: Vestn. Zool., Kiev, 1: 84. - Ukraina: Krym.

hybrida Mamaev, 1963: Ent. Obozr., 42: 440.

linearis Yukawa, 1971: Mem. Fac. Agric. Kagoshima Univ., 8: 51.

mamajevi Yukawa, 1967: Kontyu, 35: 22.

Mycophila Felt, 1911

barnesi Edwards, 1938: Proc. R. ent. Soc. Lond. (B), 7: 254.

nikoleii Moehn, 1960: Stutt. Beitr. Naturk., 31: 4.

speyeri (Barnes, 1926): Entomologist's mon. Mag., 62: 90 (Pezomyia).

Skuhraviana Mamaev, 1963

camelina Mamaev et Berest, 1991: Vestn. Zool., Kiev, 2: 31. - Ukraina: Carpathians.

media Mamaev, 1994: Vestn. Zool., Kiev, 2: 29. - Russia: Kamchatka.

triangulifera Mamaev, 1963: Ent. Obozr., 42: 440.

Tekomyia Moehn, 1960

populi Moehn, 1960: Stutt. Beitr. Naturk., 31: 6.

TRIBE MICROMYINI

Micromya Rondani, 1840

kyushuensis (Yukawa, 1967): J. Fac. Agric. Kyushu Univ., 14: 191 (Micromyia).

lucorum Rondani, 1840: Memorie Ditt. Ital.: 23.

taurica (Mamaev, 1963): Ent. Obozr., 42: 445 (Micromyia).

TRIBE XYLOPRIONINI

Antennardia Mamaev, 1993

antennata (Winnertz, 1870): Verh. zool.-bot. Ges. Wien, 20: 23 (Campylomyza).

gallicola Mamaev, 1993: Vliyanie antropog. faktorov: 48.

Campyloneura Lengersdorf, 1939.

recondita Lengersdorf, 1939: Bull. roy. Hist. nat. Belg., 15: 1. - Roumania

Monardia Kieffer, 1895

brachyptera (Kieffer, 1913): Bull. Soc. Hist. nat. Afr. N., 5: 92 (Pezomyia).

cinerascens (Ruebsaamen, 1926): in Rübsaamen und Heddicke, 1926: Zoologica, 29: 8 (Pezomyia).

longicauda Mamaev, 1963: Ent. Obozr., 42: 444.

stirpium Kieffer, 1895: Misc. ent., 3: 111.

Mycopriona Mamaev, 1965*

abnormis (Mamaev, 1963): Ent. Obozr., 42: 443 (Monardia).

caucasica (Mamaev, 1963): Ent. Obozr., 42: 442 (Monardia).

crassicornis (Mamaev, 1963): Uzbek biol. Zh., 2: 73 (Monardia).

holoptica Mamaev, 1993: Vliyanie antropog. faktorov: 50. - Russia: Far East.

incerta Mamaev, 1993: Vliyanie antropog. faktorov: 50. - Russia: Far East.

kollari (Winnertz, 1870): Verh. zool. - bot. Ges. Wien, 20: 23 (Campylomyza).

lateralis Mamaev, 1993: Vliyanie antropog. faktorov, 50. - Russia: Moscow region.

magna (Edwards, 1938): Proc. R. ent. Soc. Lond. (B), 7: 238 (Monardia).

misella Mamaev: Vliyanie antropog. faktorov: 50. - Russia: Moscow region.

monilicornis (Zetterstedt, 1838): Insecta Lapp.: 823 (Cecidomyza).

nigrita Mamaev, 1993: Vliyanie antropog. faktorov: 51. - Russia: Far East.

obsoleta (Edwards, 1938): Proc. R. ent. Soc. Lond. (B), 7: 240 (Monardia).

* In book: Mamaev, B.M. & Krivosheina, N.P., 1965. - "Larvae of gall midges": 278 pp.

ornata Mamaev, 1993: Vliyanie antropog. faktorov: 51. - Russia: North Caucasus.

pediculata Mamaev, 1993: Vliyanie antropog. faktorov: 51. - Russia: Moscow region.

recta Mamaev, 1993: Vliyanie antropog. faktorov: 51. - Russia: Voronezh region.

separata Mamaev, 1993: Vliyanie antropog. faktorov: 52. - Russia: North Caucasus.

ulmariae (Edwards, 1938): proc. R. ent. Soc. Lond. (B), 7: 238 (Monardia).

yasumatsui (Yukawa, 1967): J. Fac. Agric. Kyushu Univ., 14: 199 (Monardia).

Polyardis Pritchard, 1947

adela Pritchard, 1947: Entomologica am., 27: 49.

anomala Mamaev, 1993: Vliyanie antropog. faktorov: 53.- Russia: Moscow region.

bispinosa Mamaev, 1963: Ent. Obozr., 42: 443.

brevis Mamaev, 1993: Vliyanie antropog. faktorov: 54. - Russia: Tuva.

carbonaria Mamaev, 1993: Vliyanie antropog. faktorov: 54. - Russia: Moscow region.

carpini (Felt, 1907): Bull. N.Y.St. Mus., 100: 100 (Campylomyza).

delicata Mamaev, 1993: Vliyanie antropog. faktorov: 54. - Ukraina: Carpathians.

detriniticola Mamaev, 1993: Vliyanie antropog. faktorov: 54. - Russia: Far East.

edwardsi (Kleesattel, 1979): Dissertation, Stuttgart: 101 (Monardia).

elongata (Mamaev, 1963): Uzbek. biol. Zh., 2: 73 (Monardia:Xylopriona).

explicata Mamaev, 1993: Vliyanie antropog. faktorov: 54. - Russia: Moscow region.

fallax Mamaev, 1993: Vliyanie antropog. faktorov: 55. - Russia: Far East.

glabra Mamaev, 1993: Vliyanie antropog. faktorov: 55. - Russia: Tuva.

Trichopteromyia Williston, 1896

absurda Mamaev, 1993: Vliyanie antropog. faktorov: 57. - Russia: Far East.

bicolorata Mamaev, 1993: Vliyanie antropog. faktorov: 57. - Russia: North Caucasus.

carpatica Mamaev, 1993: Vliyanie antropog. faktorov: 57. - Ukraina: Carpathians

difficilis Mamaev, 1993: Vliyanie antropog. faktorov: 57. - Russia: Far East.

fungicola Mamaev, 1993: Vliyanie antropog. faktorov: 58. - Russia: Far East.

gracilis Mamaev, 1993: Vliyanie antropog. faktorov: 58. - Russia: North Caucasus.

japonica Yukawa, 1967: J. Fac. Agr. Kyushu Univ., 14: 197.

kovalevi Mamaev, 1993: Vliyanie antropog. faktorov: 57. - Russia: Far East.

magnifica Mamaev, 1963: Ent. Obozr., 42: 445.

modesta Williston, 1896: Trans. R. ent. Soc. Lond., 1896: 225.

Vulcanardia Mamaev, 1993

kamtsbatica Mamaev, 1993: Vliyanie antropog. faktorov: 60. - Russia: Kamchatka.

Xylopriona Kieffer, 1913

atra (Meigen, 1804): Klass. Beschr., 1: 40 (Cecidomyia).

furcifera (Mamaev, 1963): Ent. Obozr., 42: 444 (Monardia: Polyardis)

longicornis Mamaev, 1963: Ent. Obozr., 42: 444.

monotheca (Edwards, 1938): Proc. R. ent. Soc. Lond. (B), 7: 241 (Monardia).

plicans Mamaev, 1993: Vliyanie antropog. faktorov: 59. - Russia: Tuva.

querceti Edwards, 1938: Proc. R. ent. Soc. Lond. (B), 7: 205.

radiella Mamaev, 1993: Vliyanie antropog. faktorov: 60. - Russia: Moscow region.

sejuncta Mamaev, 1993: Vliyanie antropog. faktorov: 60. - Russia: Tuva.

toxicodendri (Felt, 1907): Bull. N.Y. St. Mus., 110: 98 (Campylomyza).

vividula Mamaev, 1993: Vliyanie antropog. faktorov: 60. - Russia: Far East.

TRIBE PEROMYIINI

Anodontoceras Yukawa, 1967

saigusai Yukawa, 1967: J.Fac. Agric. Kyushu Univ., 14: 194.

Peromyia Kieffer, 1894

aberrans Mamaev, 1963: Ent. Obozr., 42: 438.

abnormis Mamaev et Berest, 1990: Vestn. Zool. Kiev, 5: 18. - Ukraina: Carpathians.

albicornis (Meigen, 1830): Syst. Beschr., 6: 271 (Campylomyza).

almensis Berest, 1989: (as *P. almnsis*, lap. typ.): Vestn. Zool., Kiev, 1: 85. - Ukraina: Krym.

alni Kleesattel, 1979: Dissertation, Stuttgart: 156.

anatina Mamaev et Berest, 1990: Vestn. Zool. Kiev, 5: 20. - Ukraina: Carpathians.

aurantiaca (Kieffer, 1894): Bull. Soc. ent. Fr., 63: CLXXX (Joannisia).

bicolor (Edwards, 1938): Proc. R. ent. Soc. Lond. (B), 7: 261 (Joannisia).

bidentata Berest, 1988: Zool. Zh., 67: 152. - Ukraina: Zhitomir region.

borealis (Felt, 1919): Jl N.Y. ent. Soc., 27: 280 (Joannisia).

caricis (Kieffer, 1901): Bull. Soc. Hist. nat. Metz, 21: 36 (Joannisia).

carpathica Mamaev et Berest, 1990: Vest. Zool., 5: 20. - Ukraina: Carpathians.

cornuta (Edwards, 1938): Proc. R. ent. Soc. Lond. (B), 7: 260 (Joannisia).

- concitata** Mamaev et Berest, 1994: Vestn. Zool., Kiev, 1: 77.- Ukraina: Carpathians.
- diadema** Mamaev, 1963: Ent. Obozr., 42: 438.
- directa** Mamaev et Berest, 1990: Vestn. Zool., Kiev, 5: 24. - Ukraina: Carpathians.
- edwardsi** Berest, 1994: Vestn. Zool., Kiev, 2: 26. - Ukraina: Carpathians.
- emarginata** Berest, 1988: Vestn. Zool., Kiev, 1: 74. - Ukraina: Krym.
- extensa** Berest, 1991: Zool. Zh., 70: 106. - Ukraina: Kiev region.
- fungicola** (Kieffer, 1898): Bull. Soc. Hist. nat. Metz (2), 8: 48 (Joannisia).
- intermedia** (Kieffer, 1895): Misc. ent., 3: 74 (Joannisia).
- kiefferiana** (Enderlein, 1911): Zool. Anz., 37: 573 (Joannisia).
- leveilei** Kieffer, 1894: Bull.Soc. ent. Fr., 63: CLXXV.
- lobata** Yukawa, 1971: Mem. Fac. Agric. Kagoshima Univ., 8: 29.
- minutissima** Mamaev, 1963: Ent Obozr., 42: 438.
- monilis** Mamaev, 1965: in Mamaev and Krivosheina, 1965: Lichinki gallits: 266.
- muscorum** (Kieffer, 1895): Misc. ent., 3: 75 (Joannisia).
- nemorum** (Edwards, 1938): Proc. R. ent. Soc. Lond. (B), 7: 263 (Joannisia).
- ovalis** (Edwards, 1938): Proc. R. ent. Soc. Lond. (B), 7: 258 (Joannisia).
- paliformia** Berest, 1994: Vestn. Zool., Kiev, 2: 25. - Russia: Far East.
- palustris** (Kieffer, 1895): Misc. ent., 3: 75 (Joannisia).
- perpusilla** (Winnertz, 1870): Verh. zool.-bot. Ges Wien, 20: 15 (Campylomyza).
- photophila** (Felt, 1907): Bull. N.Y. St. Mus., 110: 99 (Campylomyza).
- podolica** Berst, 1991: Vorhandl. XII intern. Symp. Entomofaunistik Mitteleuropas: 57. - Ukraina: Vinnitskaya region.
- prominens** Yukawa, 1967: J. Fac. Agric. Kyushu Univ., 14: 186.
- ramosa** (Edwards, 1938): Proc. R. ent. Soc. Lond. (B), 7: 258 (Joannisia).
- revelata** Mamaev et Berest, 1990: Vestn. Zool., Kiev, 5: 23. - Ukraina: Carpathians.
- sanguinea** (Kieffer, 1894): Bull. Soc. ent. Fr., 63: CLXXV (Joannisia).
- scutellata** Mamaev, 1990: Novosti sistematiki i faunistiki: 142. - Russia: Taimyr.
- spaerica** Berest, 1991: Zool. Zh., 70: 104: - Ukraina: Tsherkassk region.
- sacculiformia** Mamaev et Berest, 1990: Vestn. Zool., Kiev, 5: 21. - Ukraina: Carpathians.
- subapicalis** Mamaev et Berest, 1990: Vestn. Zool., Kiev, 5: 21. - Ukraina: Carpathians.
- trimera** (Edwards, 1938, : Proc. R. ent. Soc. Lond. (B), 7: 258 (Joannisia).
- truncata** Yukawa, 1967: Mushi, 41: 65.

ACKNOWLEDGEMENTS

I am very grateful to Prof. M. Solinas (University of Perugia, Italy) who helped me in completing of this manuscript and to Dr. M. Jaschhof (University of Greifswald, Germany) for information about omitting genus *Campyloneura* Lenger.

RIASSUNTO

CHECKLIST DEI CECIDOMIIDI PALEARCTICI DELLA SOTTOFAMIGLIA
LESTREMIINAE (DIPTERA, CECIDOMYIIDAE)

La Checklist si basa sul *Catalogue of Palaearctic Diptera* (Skuhravà, 1986) e le descrizioni di nuovi taxon di cecidomiidi pubblicate nel periodo 1983-1994. Esso riporta solamente i taxon validi senza fare riferimento a sinonimi. La distribuzione geografica è indicata solamente per le specie non incluse nel catalogo menzionato. La bibliografia è limitata al periodo 1983-1994.

REFERENCES

- BEREST Z.L., 1986 - Species of the genus *Aprionus* (Diptera, Cecidomyiidae) in the forest habitats of Polessie and forest-steppe zones of Ukraina. *Vestn. Zool.* (Kiev), 5: 75-79 (in Russian, with English summary).
- BEREST Z.L., 1987 - New and little known species of the gall midges of the tribe Lestremiini (Diptera, Cecidomyiidae) of the USSR fauna. In publ. : Fauna i biogeoticheskie swiasi nasekomykh Ukrainy (transl.: Fauna and biocoenotic connections of Insects of Ukraina), Kiev, *Naukova Dumka*: 81-83 (in Russian, with English summary).
- BEREST Z.L., 1988 - Gall midges of the subfamily Lestremiinae from the Crimea. *Vestn. Zool.* (Kiev), 1: 74-76 (in Russian, with English summary).
- BEREST Z.L., 1988 - Gall midges of the genera *Bryomyia* and *Peromyia* (Diptera, Cecidomyiidae) from Forest Lowland (Polessie) and forest-steppe zone of Ukraina. *Zool. Zh.*, LXVII (1): 150-153 (in Russian, with English summary).
- BEREST Z.L., 1989 - Two new gall midges species of the tribe Micromyiini (Diptera, Cecidomyiidae) from the Mountain Crimea. *Vestn. Zool.* (Kiev), 1: 84-87 (in Russian, with English summary).
- BEREST Z.L., 1991 - New species of gall midges (Diptera, Cecidomyiidae) from forest-steppe and steppe zones of Ukraina. *Zool. Zh.*, LXX (6): 102-107 (in Russian, with English summary).
- BEREST Z.L., 1991 - Gall midges of subfamily Lestremiinae from Polessie and Mountain Crimea.- XII Internationales Symposium über Entomofaunistik Mitteleuropas, Verohandlungen. Kiev, *Naukova Dumka*: 556-558.
- BEREST Z.L., 1993 - A review of supergeneric classification of the supertribe Micromyiidi (Diptera, Cecidomyiidae), with establishment of a new tribe Bryomyiini. *Vestn. Zool.* (Kiev) (1): 3-8 (in Russian, with English summary).
- BEREST Z.L., 1994 - Gall midges of the tribe Peromyiini (Diptera, Cecidomyiidae) : origin, contents, a new classification approach. *Vestn. Zool.* (Kiev), 2: 20-27 (in Russian, with English summary).
- JASCHHOF M., 1994 - Eine neue Lestremia-Art aus Marokko (Cecidomyiidae, Lestremiinae). *Studia dipterologica*, 1, H.1: 122-125.

- LENGERSDORF F., 1939 - Etude biospéologiques. XII (1). *Campyloneura recondita*, nov. gen. nov. spec. (Diptera, Campylomyzidae) de Roumanie. *Bull. Mus. royal Hist. nat. Belg.*, XV (37): 1-4.
- MAMAEV B.M., 1985 - New gall midges and Sciarid species (Diptera, Cecidomyiidae, Sciaridae) from the USSR. *Vestn. Zool. (Kiev)*, 3: 24-30 (in Russian, with English summary).
- MAMAEV B. M., 1986 - New gall midges of Turmenistan fauna. *Proc. Acad. Sci. Turkmen SSR, ser. biol. sci.*, 5: 65-68 (in Russian, with English summary).
- MAMAEV B.M., 1990 - Gall midges (Diptera, Cecidomyiidae) of the Subarctic Region. in publ. : *Novosti sistematiki i faunistiki* (transl.: New data on systematic and faunistic), Kiev, *Naukova Dumka*: 141-146 (in Russian, with English summary).
- MAMAEV B.M., 1993 - Gallmücken von den Gruppe *Xylopriona* und ihre Indikationsbedeutung in Ökosysteme (Diptera, Cecidomyiidae). In publication: *Vliyanie antropogennykh faktorov na strukturu i funkcionirovanie ekosistem i ikh otdelnie komponenty* (transl.: Influence of antropogenic factors on structure and function of ecosystems and their components). Moscow, *Moscow Pedagogical Univ.*: 46-61 (in Russian, with German summary).
- MAMAEV B.M., 1994 - A contribution to the gall midges fauna of Kamchatka (Diptera, Cecidomyiidae) with description of new species. *Vestn. Zool. (Kiev)*, 2: 28-32 (in Russian, with English summary).
- MAMAEV B.M., BEREST Z.L., 1990 - New species of Lestremiine gall midges (Diptera, Cecidomyiidae) from Carpathian and Transcarpathian area. Communication 1. Genus *Aprionus*. *Vestn. Zool. (Kiev)*, 4: 18-24 (in Russian, with English summary).
- MAMAEV B.M., BEREST Z.L., 1990 - New species of Lestremiine gall midges (Diptera, Cecidomyiidae) from Carpathian and Transcarpathian area. Communication 2. Genus *Peromyia*. *Vestn. Zool. (Kiev)*, 5: 18-24 (in Russian, with English summary).
- MAMAEV B.M, BEREST Z.L., 1991 - New species of gall midges of the genera *Heterogenella* and *Skuhraviana* (Diptera, Cecidomyiidae) from Carpathian and Transcarpathian area.- *Vestn. Zool. (Kiev)*, 2: 27-33 (in Russian, with English summary).
- MAMAEV B.M., BEREST Z.L., 1991 - A new genus of the Lestremiine gall midges (Diptera, Cecidomyiidae) from Transcarpathia. *Vestn. Zool. (Kiev)*, 5: 75-77 (in Russian, with English summary).
- MAMAEV B.M., BEREST Z.L., 1992 - A new subgenus and new species of *Aprionus* and *Acoenonia* (Diptera, Cecidomyiidae) from Transcarpathia. *Vestn. Zool. (Kiev)*, 1: 67-70 (in Russian, with English summary).
- MAMAEV B.M., BEREST Z.L., 1994 - A new species of the genus *Peromyia* (Diptera, Cecidomyiidae) from Transcarpathia. *Vestn. Zool. (Kiev)*, 1: 77-78 (in Russian, with English summary).
- MAMAEV B.M., ROZHNOVA T.A., 1983 - Gall midges of the genus *Cordylomyia* Felt (Diptera, Cecidomyiidae) of the South Far East fauna. In publ.: *Sistematika i ekologo-faunisticheskiy obzor otdelnykh otriadov nasekomykh Dalnego Vostoka* (transl.: Systematic and ecologo-faunistic investigations of Insect orders in the Far East). *Vladivostok, BPI*: 64-68 (in Russian).
- MEYER H., SPUNGIS W., 1994 - New species of gall midges of the genus *Acoenonia* Pritchard and *Allaretella* gen. nov. from North West Germany. *Entomofauna. Zeitschr. Ent.*, 15, H. 38: 433-444.
- SKUHRAVA M., 1986 - Family Cecidomyiidae. In: *Catalogue of Palaearctic Diptera*. Budapest, Académiai Kiado: 72-297.